	Application No.	Applicant(s)
Notice of Allowability	10/692,133	PARKER ET AL.
	Examiner	Art Unit
	YOSEF KASSA	2624
The MAILING DATE of this communication apperation apperation apperation all claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to and MPEP 1308.	orrespondence address plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to <u>an amendment filed on 03/27/2006</u> .		
2. The allowed claim(s) is/are <u>1-30</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority un</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4.   A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
ldentifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5.	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dai 8), 7. 🗌 Examiner's Amendr	ne ment/Comment
Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	
	. <u> </u>	
·		

Application/Control Number: 10/692,133 Page 2

Art Unit: 2624

## Reasons for Allowance

1. Claims 1-30 are allowed.

2. The following is an examiner's statement of reasons for allowance. The closest prior art of record failed to teach or suggest, selecting a first set of points in the reduceddimensionality image data set, each point in the first set of points having a corresponding point in a second set of points in the multidimensional image data set, defining a unique projection path for each point in the first set of points, the projection path extending in a direction Z from a point in the first set of points through the corresponding point in the second set of points, determining a distance measure for a first point in the first set of points, the distance measure being the distance along the projection path in the Z direction between the first point in the first set of points and the first point's corresponding point in the second set of points, determining the distance measures for multiple points, including an image point, in the first set of points, and calculating a smoothness or roughness value for the image point in the first set of points by comparing the distance measure of the image point to the distance measures of other points in the first set of points. Therefore, in combination with all the other limitations claims 1-30 are allowable.

## Other Prior Art Cited

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

US Patent No. (6674884), (6430309), (5757954) and (5544650).

## Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to YOSEF KASSA whose telephone number is (571) 272-7452. The examiner can normally be reached on Monday-Thursday from 8:00 AM to 6:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, JINGGE WU can be reached on (571) 272-7429. The fax phone numbers for the organization where this application or proceeding is assigned is (571) 273-8300 for regular communication and (571) 273-8300 for after Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the customer service office whose telephone number is (571) 272-2600.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

Application/Control Number: 10/692,133 Page 4

Art Unit: 2624

For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

## **PATENT EXAMINER**

Yosef Kassa

06/07/2006.

PRIMARY EYAMINER